## Single Panel MENU BOARD FOUNDATION


50.16

74.94

DESIGN PARAMETERS:
2009 INTERNATIONAL BUILDING CODE
ASCE 7-05
BASIC WIND SPEED = 110 MPH
WIND IMPORTANCE FACTOR 1.0
WIND EXPOSURE C

FOUNDATION:
ASTM F1554 GR 36 ANCHOR BOLTS
ASTM A615 GR 60 REBAR
3000 PSI CONCRETE @ 28 DAYS
CLASS 5 SOIL
1500 PSF SOIL BEARING
100 PSF/LF SOIL LATERAL BEARING
UNDISTURBED SOIL

## FOR REFERENCE ONLY



-29.79

peerless

PEERLESS INDUSTRIES,INC.

2300 WHITE OAK CIRCLE AURORA, IL 60502

PRT./ DWG. NO. REV. P

SCALE
NOT TO SCALE

SHEET 1 OF 1

NOTE: THIS DRAWING SHALL BE USED FOR GENERAL REFERENCE ONLY.
IT IS THE RESPONSIBILITY OF THE INSTALLER TO VERIFY THAT ALL STATE
AND LOCAL CODES ARE MET. CONTACT LOCAL MUNICIPALITY FOR DETAILS.
PRIOR TO INSTALLATION, IT IS THE INSTALLERS RESPONSIBILITY TO
CONTRACT WITH A DESIGN PROFESSIONAL TO ENSURE THAT ALL STATE
AND LOCAL CODES ARE MET.